				ATTACHMEN	т в									
	SLVRS	WA FLOV	V CHART FOI	R SPECIAL S	SOLID	WASTE	MAN	AGEN	/IENT PI	.AN				
		REVIEW THE GENERATOR'S WAST PROFILE SHEET SUBMIT BY THE C												
				ARE THE FOR	MS COI	COMPLETE?		NO-	SEND FOI	ORMS BACK TO GENERATOR				-
														-
		10	S THE PHYSICAL ST	TATE COMPATA		TH EACH ITV	ODED V.	LIUNIC	NO	CANIDHY	SICAL STATE	NO	DO NOT	ACCEPT
		1.	3 THE PHISICAL 3	TATE CONFATA	DLE VVI	INFACILITY	UPERA	IONS	NO	OF WASTE OR FACILITY OPERATIONS BE MODIFIED		NO	WASTE	ACCEPT
				YI	S								WASIL	
											E IS MANAGEABLE			
											YES			
THE WA	THE WASTE MAY BE A		NO	IS A CHEMIC	AL EVAL	UATION N	EDED?							
AT THE F	ACILITY.													
				YI	S									-
												_		-
		DE1/1514/TH		D/ DATA SUEETS		(A DE A) (A)	4015	5 TUE\/	A DE MOT A					-
			E MATERIAL SAFET											-
		KEVIEW DA	TA FROIVI A SIIVIID		R PROCESS OR WASTE; AND/OR RE ANALYSIS.			I A CHE	IVIICAL COI	VIPOSITION	4			+
				ANALISI	,.									
HE WASTE MAY BE AC	CEPTED	NO	ARE OTI	HER CHEMICALS	OF COI	NCERN								
THE FACILITY				IDENTIFIED?										
				YE	:S									-
				EDECORAT CL S	TECTU	NC OD						-		-
				PERFORM T.C.L.P. TESTING OR OTHER TEST ACCORDING TO SLVRSWA SWP			'D					-		-
			OTTIER	ILST ACCORDIN	0 10 31	VINSVVA SVI	г					_		+
			IS THE V	VASTE A HAZAR	A HAZARDOUS WASTE?		YES		DO NOT ACCEPT THE WASTE AT THE FACILITY. IT MUST BE HANDLED					
				N	0				AS A HAZ	ARDOUS W	/ASTE.			
HE WASTE MAY BE ACCEPTED		YES	DOES TH	HE WASTE PASS	FACILIT	Y CRITERIA	?	NO			E WASTE AT THE			
R DISPOSAL AT SLVRSWA									FACILITY.			_		-
														-
												-		-